dresden elektronik



User Manual ConBee



Document Version V1.2 2017-12-10



Table of contents

1.	Over	<i>v</i> iew6
2.	Applie	cations6
3.	Featu	ıres6
	3.1.	Technical specification
	3.2.	How does the USB Dongle work?7
4.	Quick	start8
	4.1.	Content of delivery
	4.2.	Shipping Software
	4.3.	Requirements
		4.3.1. Supported Operating Systems
	4.4.	Driver installation
		4.4.1. Windows
		4.4.2. Linux
	4.5.	Using the USB Dongle with deCONZ application9
		4.5.1. Windows
		4.5.2. Raspbian Linux11
		4.5.3. Ubuntu Linux
	4.6.	Phoscon App on mobile devices, laptops and PC16
		4.6.1. Requirements16
		4.6.2. Usage
5.	Instal	ling custom firmware with GCFFlasher17
	5.1.	Windows17
	5.2.	Raspbian Linux18
	5.3.	Ubuntu Linux19
	5.4.	Notes on custom firmware20
	5.5.	Example with BitCatcher20
		5.5.1. Software20
		5.5.2. Firmware
	5.6.	EEPROM layout20
	5.7.	Fuse settings
6.	Tech	nical data21



	6.1.	Output power and channel settings	.23
7.	Pin a	ssignment	.24
8.	Hard	ware modifications for development	.26
	8.1.	Assemble the program header	.26
	8.2.	Assemble the trace header	.27
	8.3.	Assemble the Serial Flash Memory	.27
	8.4.	Assemble the User button	.28
	8.5.	Assemble the status LEDs	.28
9.	Radio	o certification	.29
	9.1.	United States (FCC)	.29
	9.2.	European Union (ETSI)	.30
	9.3.	Approved antenna list	.30
10.	Orde	ring information	.31
11.	Revis	sion notes	.31
12.	Refe	rences	.32



Document history

Date	Version	Description
2016-06-15	1.0	Initial version
2016-09-30	1.1	Update deCONZ section for Ubuntu Linux
		Update GCFFlasher section for Ubuntu Linux
		Adding screenshots
2017-12-10	1.2	Update deCONZ installation for Windows, Ubuntu and Raspbian Stretch.
		Document deCONZ GUI and headless autostart.
		Introduce Phoscon App as WebApp update.



Abbreviations

Abbreviation	Description
IEEE 802.15.4	Communication standard, applicable to low-rate Wireless Personal Area Networks (WPAN)
CE	Consumer Electronics
ETSI	European Telecommunications Standards Institute
FCC	Federal Communications Commission
GPIO	Generals Purpose Input Output
JTAG	Joint Test Action Group, digital interface for debugging of embedded devices, also known as IEEE 1149.1 standard interface
MAC	Medium (Media) Access Control
MCU, µC	Microcontroller Unit
OS	Operating System
RF	Radio Frequency
RPi	Raspberry Pi, a famous inexpensive single board computer in credit card size
R&TTE	Radio and Telecommunications Terminal Equipment (Directive of the European Union)
U[S]ART	Universal [Synchronous/]Asynchronous Receiver Transmitter
ZigBee	Low-cost, low-power wireless mesh network standard. The ZigBee Alliance is a group of companies that maintain and publish the ZigBee standard.
ZHA	ZigBee Home Automation profile
ZLL	ZigBee Light Link profile



1. Overview

The ConBee is the platform independent USB Dongle that turns your host into a full functional wireless node which can be seamlessly integrated into ZigBee networks. This will enhance the application range of your host with monitoring and controlling ZigBee networks. ZigBee compatible devices are available from a lot of manufacturers.

This USB Dongle contains a powerful radio module with integrated power amplifier and low noise amplifier. Together with the assembled onboard chip antenna which has been optimally tuned ensures a superior RF performance.

The ConBee is shipped with a bootloader application for simple firmware uploads and updates.

The ZigBee firmware is interfaced by a program called deCONZ which runs on Windows and Linux and is responsible for ZigBee network control and monitoring.

2. Applications

The ConBee is designed to handle ZigBee 3.0, ZigBee Light Link (ZLL) and ZigBee Home Automation (ZHA) applications in connection with the ZigBee firmware and software deCONZ. A more detailed description of the ZLL standard, the features, benefits and available certified products can be found on the official alliance website [1].

It is also possible to use a custom firmware for wireless applications. Follow the instructions in **Section 5** and **Section 10** for detailed instructions on software installation and customer modifications.

Note: Please note that depending on the modifications the radio certification and compliance may become invalid. Please get in contact with us to advise you for a custom FCC certified and/or compliant design.

3. Features

The ConBee contains the features listed below. **Figure 1** illustrates the feature parts in a detailed view.

3.1. Technical specification

- Slim size: 70.7 x 23.0 x 8.3 mm
- Supply voltage: USB powered 5.0V / DC
- Onboard 2.4 GHz ZigBee radio module 'deRFmega256-23M12'
- Application interfaces: USB







Figure 1: ConBee in detail

3.2. How does the USB Dongle work?

The functional parts of the ConBee are shown in a schematic overview in Figure 2.

The USB Dongle will be supplied by the USB 5.0 V domain. Therefore the USB power supply must be sufficient to support the additional load. An onboard low-drop-out voltage regulator generates a stable 3.3 V voltage to supply the radio module on the USB Dongle.

The onboard placed radio module deRFmega256-23M12 by dresden elektronik contains an 8-bit AVR microcontroller with an integrated low-power 2.4 GHz transceiver for ZigBee and IEEE 802.15.4 applications. The ConBee is shipped with bootloader software and preinstalled ZigBee firmware. Each USB Dongle contains a world-wide unique identifier, named MAC-ID. It consists of an 8 byte address, including the vendor ID and product ID. The MAC-ID is stored in the MCU internal EEPROM.



The RF output signal of the 2.4 GHz radio module is routed to the assembled onboard chip antenna.



Figure 2: Block Diagram

4. Quick start

This section describes in short steps a fast start-up of the ConBee to control and monitor a ZigBee network.

4.1. Content of delivery

One shipped USB Dongle package contains the following:

- 1x ConBee USB Dongle
- 1x Instruction leaflet

4.2. Shipping Software

The ConBee is shipped with bootloader software and pre-installed ZigBee firmware.

4.3. Requirements

The ConBee needs a dedicated USB port with up to 500mA current supply and works on desktop PCs, laptops and the Single Board Computer Raspberry Pi 1, 2 and 3.

4.3.1. Supported Operating Systems

- Microsoft Windows 7, 8, 8.1 and 10
- Canonical Ubuntu Linux 16.04 LTS
- Raspberry Pi Raspbian Jessie and Stretch

Note: Raspbian Wheezy is no longer supported.

4.4. Driver installation

On most platforms the necessary USB COM port drivers by FTDI will be installed automatically when you plug in the USB Dongle. You can also download and install the FTDI drivers manually from http://www.ftdichip.com/FTDrivers.htm



4.4.1. Windows

Plug in the ConBee USB Dongle into a free USB port. On Windows the drivers will be installed automatically if you have activated automatic driver installation. A window will pop up where you can select automatic driver installation.

4.4.2. Linux

No further driver installation is needed. All common Linux distributions include the necessary COM port drivers.

4.5. Using the USB Dongle with deCONZ application

The deCONZ¹ application allows the configuration, operation, monitoring and maintenance of ZigBee networks.

4.5.1. Windows

1. Download and install the deCONZ software from:

https://www.dresden-elektronik.de/funktechnik/products/software/pc/deconz

- **Important:** The next step will bring up a windows firewall warning. This happens because deCONZ runs a webserver to provide the Phoscon App and is using an Internet discovery mechanism so that the browser can find the Phoscon App. For proper operation it's required to confirm the firewall exception.
- 2. Start the deCONZ application from the start menu.
- 3. If necessary a firmware update request will be shown. Proceed by clicking on *Update Firmware* button.

a deconz			
en gat Panes Pr	Leave Join Not Connected 🔛 CRE		Phoscon App WebApp
	deconz desden elektronik	Commercial Version - 2,04,04 Caryong B 2020 Ansider addrongle regionet activesty addrongle - 3,000 regionet activest path. All rights reserved. Limited to mais 200 network nodes.	
	Premare Lipdate		
	A device finnmer update in needed. Please press the update Pinnware button to start the update.	Update Prenare	

¹ See https://www.dresden-elektronik.de/funktechnik/products/software/pc-software/deconz



e de	CONZ											-	
Eile	Edit	Panels	Plugins	Help		1.00	un Jain Mationau	and DIN core				Dharana Ana	WahAna
-6:1	atl		Firmw	are Update	dec(dresden elektroni	Lee NZ	z Join Not Connec	GRE (III)	Commercial Version Copyright & 2017 dres Ingenieur technik gmbh reserved. Limited to max 200	2.04.94 sden elektror . All rights network n	ik odes.	Phoseon App	WebApp
			Ple	ase wait w	hile the update is running	j.	-			44%			

4. deCONZ automatically connects to the ConBee USB Dongle and a blue coordinator node with address 0x0000 appears.

deCONZ - ConBee (\\.\COM22)						- •	
Eile Edit Panels Plugins He	dp						
-si al	Leav	e Join J	Network	Nodes	Phoscon Ap	p Web	
Node Info		<i>8</i> ×					-
Type Coordinator						- · ·	
Name							
Last Seen 12/07/19		_					
Common Info							
NWK	0x0000	_					
lttt	0x00212efff00c583	-					
Node Descriptor	2002 2002 2001						
Frequency Band	2400 - 2483-3 MHz	_					
User Descriptor	true						
Complex Descriptor	raise	_					
Manufacturer Code	0000						
Max Butter Size	75	_					
Max Incoming Transfer Size	49						
Max Outgoing Hanster Size	42	_					
Allowed a DAN Consideration	false.						
Device Tune	FED	_					
Device Type	Maine						
Receiver On When Idle	true	-					
Security Sunnort	false	-	• 0x0000				
Server Mask	1000		00212effff00c583				
Primary Trust Center	false	_					
Backup Trust Center	false						
Primary Binding Table Cache	false	_					
Backup Binding Table Cache	false						
Primary Discovery Cache	false	_					
Backup Discovery Cache	false						
Network Manager	false						
Descriptor Capabilities							
Extended Active Endpoint List	false						
Extended Simple Descriptor List	t false						
Power Descriptor							
Power Mode	On When Idle						
Power Source	Mains	_					
Power Level	100%						
Node Info Cluster Info			e				f

5. Click the *Phoscon App* button to open the browser based control software.



승 Gateways		Login
		Cartin
		*
	Login to	ConBee-C583
		Password
		Login
		Lost password?

- 6. Login with default password: delight
- **Note:** The former WebApp (2013–2016) is still available and can be opened by clicking the WebApp button, the default login is user: delight and password: delight.

Refer to the Quick Start Guide for further instructions how to use the Phoscon App [3].

4.5.2. Raspbian Linux

Open the terminal window by:

```
Menu / Accessories / Terminal
```



Type in the commands described in the following steps.



4.5.2.1. Download and install deCONZ

1. Download deCONZ:

```
$ wget http://www.dresden-elektronik.de/rpi/deconz/stable/deconz-
latest.deb
```

2. Install deCONZ:

Important: This step might print some errors due missing dependencies; that's expected and will be fixed afterwards in the step 3.

\$ sudo dpkg -i deconz-latest.deb

3. Install missing dependencies:

\$ sudo apt update
\$ sudo apt install -f

4.5.2.2. Start and run the application

7. If not already running start the desktop environment

\$ startx

8. Start the deCONZ application via start menu

Menu / Programming /deCONZ



9. Click the *Phoscon App* button to open the browser based control software.



🖨 Gateways		Login
		(Gug
	Login to	ConBee-C583
		Password
		Lost password?

10. Login with default password: delight

Note: The former WebApp (2013–2016) is still available and can be opened by clicking the WebApp button, the default login is user: delight and password: delight.

Refer to the Quick Start Guide for further instructions how to use the Phoscon App [3].

4.5.2.3. Autostart deCONZ GUI on boot

Use this if deCONZ GUI should be started automatically on each boot.

1. Enable deCONZ systemd GUI service

\$ sudo systemctl enable deconz-gui

4.5.2.4. Autostart deCONZ headless on boot

Use this to start deCONZ on each boot in a headless environment, without a running X11 or VNC server.

- 1. Enable deCONZ systemd headless service
 - \$ sudo systemctl enable deconz

4.5.3. Ubuntu Linux

4.5.3.1. Download and install deCONZ

1. Download deCONZ for Ubuntu Linux from:

https://www.dresden-elektronik.de/funktechnik/products/software/pc/deconz

- 2. Open the terminal window with keyboard shortcut Ctrl+Alt+T
- 4. Install deCONZ package in terminal window:
 - **Important:** This step might print some errors due missing dependencies; that's expected and will be fixed afterwards in the step 3.
 - \$ cd Downloads
 - \$ sudo dpkg -i deconz-2.04.96-qt5.deb

User Manual Version 1.2 2017-12-10





- 5. Install missing dependencies:

\$ sudo	apt upda	ate			
\$ sudo	apt inst	all -f			
0 0	000 File Edit View Go Bloc	ámarks Help			🖨 ti 🔯 4 에 0023 수
· 2-11 ·					
	O Recent Name		Size Type	Modified *	
	ක Home 🧰	deconz-2.04.96-qt5.deb	3,9 MB Archive	00:07	
	in Desktop				
-	Documents				
	Downloads				
	dd Music	6 6 Terminal File Edit Mese	Search Terminal Nefa		
23	Wideos The	following additional pack	ages will be installed:		
	Trash Sug	glite3 gested packages:			
	Ø Network	following NEW packages wi	ill be installed:		
	Computer 0	qlite3 pgraded, 1 newly installed	1, 0 to remove and 27 no	t upgraded.	
	🚇 d on 192.168.8 🏦 Noe	ot fully installed or remo d to get 515 kB of archive	oved. 15.		
	Connect to Server Oo Oo Set Set Up Wro Set Upp Wro Set Upp	er this operation, 1-938 you want to continue? [V// 11 http://archive.ubuntu. tui [515 kk] ched 515 kk] in 05 (2.592 Å ecting previously unselect adding database 222755 paring to unpack /sqli cessing triuggers for nan- ting up sqlites (3.1.0-114 cessing triuggers for nan- ting up sqlites (3.1.0-114 cessing triuggers (3.1.0-114) cessing triuggers (3.1.0-1144) cessing triuggers (3.	<pre>(B of additional disk sp i) additional disk sp icon/ubuntu xental/main a (B/S) (ed package sqlite3, files and directories c rel_3.11.0-lubuntu1_amd6 unutu1) (b) (2,7,5-1) ubuntu1)</pre>	ace will be used. nd64 sqlite3 and64 3.1: urrently installed.) 1.deb	1.0-10

3. Start the deCONZ application by the search input.



4. deCONZ automatically connects to the ConBee USB Dongle. If a firmware update is needed the following screen will be shown.

T





Proceed by clicking the Update Firmware button.

5. Do not disconnect the USB dongle during the update process.

					1 ∎ De 40) 00:26
Ø	● ○ ○ File Edit Panels Plunins Helo				
01	** 🗐	Leave Join Not Connected	CAE	Phoscon App WebApp	
· 🔤					
E	deCO	NZ	Commercial Version - 2.04.96 Copyright © 2017 dresden elek	ktronik	
	dresden elektronik		ingenieurtechnik gmbh. All rigi Limited to max 200 network r	hts reserved. nodes.	
2	Firmware Update				
e					
	Please wait while the	update is running.			
		19%			
	Firmware update running _ please wait				
	Contrast of pasts resulting presse were				
1					

6. After the update connection to the ConBee USB Dongle will be established automatically and a blue coordinator node with address 0x0000 appears.



7. Click the Phoscon App button to open the browser based control software.



	1
	Certhe
Login to	ConBee-C583 192.168.80.153
	Password
	Login Login

- 8. Login with default password: delight
- **Note:** The former WebApp (2013–2016) is still available and can be opened by clicking the WebApp button, the default login is user: delight and password: delight.

Refer to the Quick Start Guide for further instructions how to use the Phoscon App [3].

9. After restarting the operating system. The deCONZ application can be found and started by the search input.



4.6. Phoscon App on mobile devices, laptops and PC

The browser based Phoscon App can be used on various devices to control a Wireless Lighting System with the ConBee USB Dongle.

4.6.1. Requirements

- 1. A host system with connected ConBee USB Dongle.
- 2. The host system and mobile device must be in the same network, e.g. home network with WiFi router.

4.6.2. Usage

1. Open the mobile device browser and navigate to http://dresden-elektronik.de/pwa



- Important: Albeit the Phoscon App is initially received from the dresden elektronik server, all communication between the Phoscon App and deCONZ / ConBee happens in your local network (LAN or Wi-Fi) only. The Phoscon App is not cloud based and works even without Internet.
- 2. Select the related ConBee, if it is not detected a gateway search will be started
- 3. Login with default password: delight

Save the page as bookmark in the browser for a faster access.

Note: A full copy of the App is available on the host device running deCONZ. If you know the IP address of the host you can open it by navigating to http://<ip-address>/pwa

5. Installing custom firmware with GCFFlasher

GCFFlasher is a command line tool which can be used to update the USB Dongle without additional programming hardware. It is also used by deCONZ to update the ZigBee firmware. The GCFFlasher communicates with the USB Dongle bootloader via COM port interface.

- **Note 1:** GCFFlasher accepts firmware files in binary file format (.bin) and in dresden elektronik proprietary GCF file format. There is no EEPROM programming support within GCFFlasher. EEPROM programming must be done within your application code. Please note that modifying the EEPROM may cause irreversibly damage to your USB Dongle. Use with care. GCFFlasher also provides the option '-r' to power cycle the target device.
- **Note 2:** It is not possible to perform the update while running the deCONZ application. Therefore it is necessary to close the deCONZ application before updating the firmware with GCFFlasher.
- **Note 3:** For help on the GCFFlasher options run: GCFFlasher -h

5.1. Windows

1. Download GCFFlasher (Windows) from:

https://www.dresden-elektronik.de/funktechnik/service/downloads/software

2. Unzip the package and double click the GCFFlasherCommandline.bat file. A command prompt will open and output a list of all connected devices.



- 3. Put the firmware file in the same folder as GCFFlasher.exe
- 4. To upload the firmware, invoke GCFFlasher from the command prompt as follows:



Note: You can list the devices with: GCFFlasher -1

5.2. Raspbian Linux

Install and execute GCFFlasher in a terminal window as described in the following steps.

1. Open a terminal with keyboard shortcut Ctrl+Alt+T

pi@phoscon: ~		×
File Edit Tabs Help		
pi@phoscon:~ \$		

2. Download GCFFlasher:

```
$ wget http://www.dresden-
elektronik.de/rpi/gcfflasher/gcfflasher-latest.deb
```

3. Install GCFFlasher:

\$ sudo dpkg -i gcfflasher-latest.deb

Important: This step might print some errors due missing dependencies; that's expected and will be fixed afterwards in the next step.

4. Install missing dependencies:

\$ sudo apt update



```
$ sudo apt install -f
```

5. Upload firmware, invoke GCFFlasher with superuser rights as follows:

```
$ sudo GCFFlasher -d <device> -f <YourApplication.bin[.GCF]>
```

For example:

\$ sudo GCFFlasher -d 0 -f deCONZ 0x26190500.bin.GCF

pi@phoscon: ~		×
File Edit Tabs Help		
<pre>pi@phoscon:~ \$ sudo GCFFlasher -f deCONZ_Rpi_0x26190500.bin.GCF GCFFlasher V2_11 (c) dresden elektronik ingenieurtechnik gmbh 2017/12/10 no device specified use RaspBee (/dev/ttyAMAO) using firmware file: deCONZ_Rpi_0x26190500.bin.GCF reset target</pre>		~
RaspBee Bootloader premium Vers. 1.02 build 2013/08/01		
flashing 130438 bytes: verify: succEss pi@phoscon:~ \$ 		

Note: You can list all devices with: \$ sudo GCFFlasher -1

5.3. Ubuntu Linux

Install and execute GCFFlasher in a terminal window as described in the following steps.

1. Download GCFFlasher for Ubuntu Linux from:

https://www.dresden-elektronik.de/funktechnik/service/downloads/software

- 2. Open a terminal with keyboard shortcut Ctrl+Alt+T
- 3. Install GCFFlasher:
 - \$ cd Downloads
 - \$ sudo dpkg -i gcfflasher-2.08.deb

Important: This step might print some errors due missing dependencies; that's expected and will be fixed afterwards in the next step.

- 6. Install missing dependencies:
 - \$ sudo apt update
 - \$ sudo apt install -f
- 7. Upload firmware, invoke GCFFlasher with superuser rights as follows:

```
$ sudo GCFFlasher -d <device> -f <YourApplication.bin[.GCF]>
For example:
```

```
$ sudo GCFFlasher -d 0 -f deCONZ 0x26090500.bin.GCF
```





Note: You can list all devices with: \$ sudo GCFFlasher -1

5.4. Notes on custom firmware

When using the JTAG interface, do not modify sensitive EEPROM areas like Bootloader control section, ZigBee firmware settings, NV-section containing i.e. MAC address, unless you are absolutely sure what you are doing. See **section 5.6** for details of sensitive EEPROM areas.

Please also note that dresden elektronik will neither provide firmware images of the bootloader nor support restoring the bootloader or EEPROM once overwritten.

5.5. Example with BitCatcher

BitCatcher is a software tool for analyzing wireless transmissions in ZigBee based networks and allows the monitoring of complex network structures as well as observe data flows and runtime performance in detail without additional effort.

Note: BitCatcher is only available in a legacy version and **will no longer be supported** by Luxoft. It is compatible only up to Windows 7.

5.5.1. Software

1. Download and install the Luxoft BitCatcher ZigBee Network Analyzer from:

http://www.luxoft.com/embedded-systems-development/bitcatcher

5.5.2. Firmware

1. Download the BitCatcher firmware for ConBee from:

https://www.dresden-elektronik.de/funktechnik/service/downloads/software/

2. Execute the steps of section 5.1, 5.2 and 5.3 depending on your operating system.

5.6. **EEPROM** layout

The radio module contained on the ConBee uses the following sensitive EEPROM sections. If developing custom firmware, please do not modify the sections already used.



Table 1: Sensitive EEPROM sections

EEPROM sections	
address range	content / remark
0x0000 0x00FF	Bootloader specific
0x0100 0x1EFF	user available
0x1F00 0x1FDF	ZigBee firmware specific
0x1FE0 0x1FFF	NV-section

5.7. Fuse settings

The table below shows the recommended fuse byte settings for the ConBee which the board also comes with in factory new condition. Please refer to the radio module user manual **[4]** for their description and alternative configurations.

Table 2: Fuse settings

Fuse bytes	Setting	Description
EXTENDED	0xF8	Extended fuse byte
HIGH	0x90	Fuse high byte
LOW	OxCE	Fuse low byte

6. Technical data

The USB Dongle contains the 2.4 GHz IEEE 802.15.4 radio module 'deRFmega256-23M12' by dresden elektronik. A detailed description of the module's characteristics and properties can be found in the radio module user manual **[4]**.

Table 3: Mechanical data

Mechanical data						
Value	Descriptor	Parameter	Min	Тур	Max	Unit
Size	L			70.7		mm
	W			23.0		mm
	Н			8.3		mm

Table 4: Temperature range

Temperature range						
Value	Descriptor	Parameter	Min	Тур	Max	Unit



Table 5: Absolute maximum ratings

Absolute maximum ratings						
Value	Descriptor	Parameter	Min	Тур	Max	Unit
Supply voltage	V _{in_max}	T=25°C			5.5	V
Supply current	I _{in_max}	TX_ON, TX_PWR=0x0			215	mA

Note: Stresses beyond those listed under "Absolute maximum ratings" may cause permanent damage to the device. This is a stress rating only and functional operation of the device at these or any other conditions beyond those indicated in the operational sections of this manual are not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability. For more details about these parameters, refer to individual datasheets of the components used.

Table 6: Electrical characteristics

Electrical characteristics						
Value	Descriptor	Parameter	Min	Тур	Max	Unit
Supply voltage	V _{in}		4.5	5.0	5.5	V
Supply current	I _{in_trxoff}	V _{in} =5.0 V (only Bootloader)		5.5		mA
	I _{in_txon}	V _{in} =5.0 V, TX_PWR=0xE		59		mA
		V _{in} =5.0 V, TX_PWR=0xF		48		mA

Table 7: MCU clock

MCU clock						
Value	Descriptor	Parameter	Min	Тур	Max	Unit
MCU clock	CLK _{MCU}			8		MHz



Table 8: Radio characteristics

Radio characteristics						
Value	Descriptor	Parameter	Min	Тур	Max	Unit
Antenna	ANT1	Туре	Ch	ip Cera		
		Gain		-0.7		dBi
Coaxial connector	COAX	Туре		U.FL		
Frequency range	F _{range_EU}	PHY_CC_CCA = 0x0B0x1A	2405		2480	MHz
	F _{range_US}	PHY_CC_CCA = 0x0B0x19	2405		2475	MHz
Channels	CH_ _{EU}	PHY_CC_CCA = 0x0B0x1A		16		
	CH_ _{US}	PHY_CC_CCA = 0x0B0x19		15		
Absolute TX power	POUT	Vin=5.0 V, TX_PWR=0xE			8.7	dBm
		Vin=5.0 V, TX_PWR=0xF			3.9	dBm
Receiver sensitivity	SENS	Data Rate = 250 kBit/s		-105		dBm
		Data Rate = 500 kBit/s		-101		dBm
		Data Rate = 1000 kBit/s		-99		dBm
		Data Rate = 2000 kBit/s		-94		dBm
Data rate (gross)	DR	TRX_CTRL_2 = 0x00		250		kbps
		TRX_CTRL_2 = 0x01		500		kbps
		TRX_CTRL_2 = 0x02		1000		kbps
		TRX_CTRL_2 = 0x03		2000		kbps

6.1. Output power and channel settings

The ConBee is able to provide an output power greater than 10 dBm. **Table 9** defines the power settings of the TX_PWR register **[4]**, which must be set to fulfill all national requirements of Europe (EN 300 328) and the United States (CFR 47 Ch. I FCC Part 15).

Note: Channel 26 must be deactivated for using the USB Dongle in the United States to fulfill the band edge requirements of FCC Part 15 Subpart C § 15.247.

Table 9: Output power settings

Device ConBee

User Manual Version 1.2 2017-12-10



Region	ETSI (EU)	FCC (US)
Channel	TX_PWR	TX_PWR
11	0xF	0xE
12	0xF	0xE
13	0xF	0xE
14	0xF	0xE
15	0xF	0xE
16	0xF	0xE
17	0xF	0xE
18	0xF	0xE
19	0xF	0xE
20	0xF	0xE
21	0xF	0xE
22	0xF	0xE
23	0xF	0xE
24	0xF	0xE
25	0xF	0xF
26	0xF	Not used

7. Pin assignment

This section lists all available signals and their function on the USB Dongle.

Note: The signal NC means Not Connected. NA means Not Assembled.

Table 10: Signal pin description

Signal pin description of assembled radio module deRFmega256-23M12			
Radio module pin	Signal	Function	Comment
28	PE0/RXD0	UART RX 0	Communication interface to FTDI



29	PF1/TXD0	UART TX 0	Communication interface to FTDI
	, ., ., ., ., .		
30	PE2/XCK0	CTS	Communication interface to FTDI
4	RESET	Reset	10k pull-up onboard, low-active,
			Connected to CBUS0 of FTDI
27	PB7	SW1	Button to GND (NA)
15	PD7	LED1	Red, low-active (NA)
8	PG2	LED2	Green, low-active (NA)
57	RFOUT1	RF out signal 1	terminated with 49R9 resistor
53	RFOUT2	RF out signal 2	Chip antenna
48	PF4/TCK	JTAG	NA
47	PF5/TMS	JTAG	NA
46	PF6/TDO	JTAG	NA
45	PF7/TDI	JTAG	NA
13	PD2/RXD1	UART RX 1	NA
12	PD3/TXD1	UART TX 1	NA
20	PB0/SS	Chip Select	Serial Flash Memory (NA)
21	PB2/MOSI	Serial Data In	Serial Flash Memory (NA)
22	PB1/SCK	Serial Clock	Serial Flash Memory (NA)
23	PB3/MISO	Serial Data Out	Serial Flash Memory (NA)
-	VBUS	Voltage supply	5 V supplied by USB port
2, 50	VCC	Voltage supply	3.3 V generated internally
1, 31, 44, 49, 51	GND	Ground	System ground

Table 11: Header pin description

Header pin description			
Header	Pin	Signal	Comment



Program	1	тск	JTAG	
(not assembled)	2	GND		
	3	TDO	JTAG	
	4	VCC	3.3 V generated internally	
	5	TMS	JTAG	
	6	RESET	Reset signal for ZigBee USB Gateway	
	7	VCC	3.3 V generated internally	
	8	NC		
	9	TDI	JTAG	
	10	GND		
Trace	1	TXD1	UART	
(not assembled)	2	VCC	3.3 V generated internally	
	3	NC		
	4	RXD1	UART	
	5	NC		
	6	GND		

8. Hardware modifications for development

Besides the factory-default USB Dongle configuration it is also possible to modify the hardware to enhance its functionality.

8.1. Assemble the program header

The program header provides the microcontroller programming interface of the radio module. Assemble a 50 mil 10-pin SMT header on the bottom side. We recommend the use of the header FTSH-105-04-LM-DV-P by SAMTEC or a similar item.

The header pin description can be found in **Section 8 Table 11**. A detailed description of suitable programmers and related software tools are listed in **[5]**.





Program header footprint

Figure 3: USB Dongle program header position (default not assembled)

Note: Improper handling in respect of erasing or overwriting the MCU internal flash or EEPROM completely or in parts may result in an unusable USB Dongle unit. Modification of the pre-allocated EEPROM memory sections or removal of the pre-installed bootloader will irreversibly preclude restoring, booting or upgrading the shipping firmware at all. dresden elektronik will not support such modifications (see **Section 5.3** for details).

8.2. Assemble the trace header

The trace header provides the microcontroller UART interface of the radio module. Assemble a 50 mil 6-pin SMT header on the bottom side. We recommend the use of the header FTSH-103-01-F-DV by SAMTEC or a similar item.

The header pin description can be found in **Section 8 Table 11**.



Trace header footprint

Figure 4: USB Dongle trace header position (default not assembled)

8.3. Assemble the Serial Flash Memory

The USB Dongle offers the use of an external Serial Flash Memory for custom application or features. The memory interface is connected to the SPI of the radio module. The provided



footprint is SO-8. We recommend the use of a Serial Flash Memory like M25P40-VMN6TPB by MICRON. It is useful to place a stabilizing capacitor of 100nF to the 0402 footprint next to the memory.

The signal pin description can be found in **Section 8 Table 10**.



Figure 5: USB Dongle Serial Flash Memory position (default not assembled)

8.4. Assemble the User button

The USB Dongle offers the use of an external user button. We recommend the use of the SMT button KSR211GLFS by ITT or similar items. The button is connected with ground and signal PB7.

The signal pin description can be found in **Section 8 Table 10Table 11**.



User button footprint

Figure 6: USB Dongle user button position (default not assembled)

8.5. Assemble the status LEDs

The USB Dongle offers the use of two status LEDs. The first LED is connected with signal PD7 and the second LED is connected with signal PG2. Each LED needs one additional series resistor with a value of 820 Ohms. Both LEDs are low-active. We recommend the use of the following LEDs and resistors:

• Red low current LED: TLMS1000-GS08 by Vishay (SMT package 0603)

User Manual Version 1.2 2017-12-10



- Green low current LED: LG L29K-G2J1-24-Z by OSRAM (SMT package 0603)
- Resistor 820 Ohms: RC0402FR-07820RL by YAGEO (SMT package 0402)

The signal pin description can be found in **Section 8 Table 10**.





9. Radio certification

9.1. United States (FCC)

The ConBee contains the radio module 'deRFmega256-23M12', which is certified according to FCC part 15. The FCC-ID of the radio module deRFmega256-23M12 is printed on a visible permanently affixed label on the top of the module's RF shielding.

This product contains FCC ID: XVV-MEGA23M12

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation (FCC 15.19). The internal / external antenna(s) used for this mobile transmitter must provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

Modifications not expressly approved by the manufacturer could void the user's authority to operate this equipment (FCC section 15.21).

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential



area is likely to cause harmful interference in which case the user will be required to correct the interference at their own expense (FCC section 15.105).

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help

9.2. European Union (ETSI)

The ConBee is compliant for use in European Union countries.

Hereby, dresden elektronik ingenieurtechnik gmbh declares that the radio equipment type ConBee is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: www.dresden-elektronik.de

If the USB Dongle is incorporated into a product, the manufacturer must ensure compliance of the final product to the European harmonized EMC and low-voltage/safety standards. A Declaration of Conformity must be issued for each of these standards and kept on file as described in Annex II of the R&TTE Directive.

The manufacturer must maintain a copy of the USB Dongle documentation and ensure the final product does not exceed the specified power ratings, antenna specifications, and/or installation requirements as specified in the user manual. If any of these specifications are exceeded in the final product, a submission must be made to a notified body for compliance testing to all required standards.

9.3. Approved antenna list

The USB Dongle has an integrated chip antenna. The design is fully compliant with all regulations and certified as reference design of the integrated radio module deRFmega256-23M12 (FCC ID: XVV-MEGA23M12).

Approved antenna(s) for deRFmega256-23M12				
Туре	Gain	Mount	Order code	Vendor / Supplier
Integrated antenna				
2400 to 2483.5 MHz	+1.3dBi (peak)	SMT	2450AT43B100	Johanson Technology
Chip antenna				

Table 12: Approved antenna



10.Ordering information

Table 13: Ordering information

Ordering information			
Part Number	Product Name	Comment	
BN-600090	ConBee	Contains bootloader application	

11. Revision notes

Actually no design issues are known.



12. References

- [1] ZigBee Light Link, URL: http://www.zigbee.org/zigbee-for-developers/applicationstandards/zigbee-light-link/
- [2] User Manual deCONZ;

URL: https://www.dresden-elektronik.de/funktechnik/service/download/documentation/

- [3] Quick Start Guide Wireless Light Control, URL: https://www.dresden-elektronik.de/funktechnik/service/downloads/documentation/
- [4] User Manual deRFmega256 radio modules; URL: https://www.dresden-elektronik.de/funktechnik/service/downloads/documentation/
- [5] Software Programming User Manual; URL: https://www.dresden-elektronik.de/funktechnik/service/downloads/documentation/

User Manual Version 1.2 2017-12-10



dresden elektronik ingenieurtechnik gmbh Enno-Heidebroek-Straße 12 01237 Dresden GERMANY

Phone +49 351 31850-0 Fax +49 351 31850-10 Email wireless@dresden-elektronik.de

Trademarks and acknowledgements

- IEEE 802.15.4™ is a trademark of the Institute of Electrical and Electronics Engineers (IEEE).
- ZigBee[®] is a registered trademark of the ZigBee Alliance.
- ZigBee USB Gateway[™] is a registered trademark of the dresden elektronik ingenieurtechnik gmbh.

All trademarks are registered by their respective owners in certain countries only. Other brands and their products are trademarks or registered trademarks of their respective holders and should be noted as such.

Disclaimer

This note is provided as-is and is subject to change without notice. Except to the extent prohibited by law, dresden elektronik ingenieurtechnik gmbh makes no express or implied warranty of any kind with regard to this guide, and specifically disclaims the implied warranties and conditions of merchantability and fitness for a particular purpose. dresden elektronik ingenieurtechnik gmbh shall not be liable for any errors or incidental or consequential damage in connection with the furnishing, performance or use of this guide.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or any means electronic or mechanical, including photocopying and recording, for any purpose other than the purchaser's personal use, without the written permission of dresden elektronik ingenieurtechnik gmbh.

Copyright © 2016 dresden elektronik ingenieurtechnik gmbh. All rights reserved.